App F IX 4

Previous References. (19 CM)

File No 10 - S 7

Serial Nos 9, 10

P 18 F

Later References

CM/DEP 530/63

GENERAL AND REVENUE SECRETARIAT

Serial Nos Three

Part B for July 57

SUBJECT

Surface treatment with Tar-Seal coating Temple Road crossing from Princess road up to the Junction of Adipampa Road in U U Mohalla Mysore

L 3105-7 Dated 5-7-57

To

The Municipal Commissioner, Mysore
(thro the President)

The Superintending Engineer, Myso

The controller S A-D Blore

WD 010861—GPB—25,000—18-9-50

G R S APP F III—1]

GENERAL AND REVENUE SECRETARIAT

( )

NOTES

File No

FILE HEADING

Surface treatment with tar-seal Coating Temple Road Crossing from present Road up to the junction of Adepampa Road in U U Mohalla Mysore city

FROM The Municipal Commissioner Mysore city

No C2 PR 20/57-52 Dated 10 5 51 Received

Diary No 1117/ml	Enclos	Spare copies	Serial No

BRIEF ABSTRACT OF LETTER

Forwards for sanction an estimate for Rs 10,000/ in respect of the above works as approved by the municipal Council in its Resolution No/30 4 51

NOTES AND ORDERS

The estimate may in the first instance be referred officially to the Chief Engineer for Secretary and Revenue There is no Report of the Municipal Engineer accompanying the estimate Rec 18/5/51 Vide flag I for the report of the mpl Engr who has also prepared the said estimate Dy C E may be requested to scrutinise before sanction is accorded

R 21/5

18/5 According to the rule since recd from the Chief Engr such estimates have to be sent after scrutiny by the Concerned P W D officers & accord to the cost involved Powers delegated thereon for sanction 19/5

NOTES—First Sheet

WD 010865—GPB—20,000—2-8-50

Surface treatment with Tar Seal Coating

Dimple Road crossing from Princess Road up to the Junction of 195A de Pampa Road

File No 1117/M1

General and Revenue Secretariat

Off Colln Circle Kandy Superintending Engineer Kandy Circle ca put up for approval

Rae 22/5/51

S Dsrne 24/5

2o

The Superintending Engineer
Canvery Circle Mysore

L 1913/57-52 dy 28/5/51 forwards an estimate for Scarifying and Remarks

Sris A- 30/5

From

The Superintending Engineer
Canvery Circle, Mysore

No L 4270 dated 15/16 6 51 forwards the estimate - after Scarifying

3o The Superintending Engineer has returned the estimate - after duly Scarifying for Rs 9300/- and

A despr 5 o Sanctioning the Estimate - as put up for approval

D1 27/6 (Engg)

2/ 27/6

Dated 3134 27/6

Sw Mu 27/6

2 27/6

P T O

Surface treatment with - Dar-Seal Coating Temple
Road Crossing from Princess Road up to the
Junction of Adelpampa Road —

1117
PU

Do
The Municipal Comm Hyd Dre ej - M/S -
thro the Presidente
The Superintending Engineer, Cauvery circle
The Controller, State-Accts Dept Bglore

L 3105-7/CM 10-57-10
Dy 5 7 57,
Sanctions to estimate

B
9/7

No Encls

C2 PR 20 51-52 Encl 2 & Estimate

/C-M 10-51-9 3375/

CITY MUNICIPAL COUNCIL

Mysore Dated 10 S 1951

FROM

1117/ML

THE MUNICIPAL COMMISSIONER
CITY MUNICIPAL COUNCIL
MYSORE

GENERAL & REVENUE SECRETARIAT 17 MAY 195 MUNICIPAL BRANCH

To

The Secretary to Government,
L S G Department,
Bangalore

(Through the President)

Subject - Surface treatment with Tar-Seal coating Temple Road crossing from Princess road upto the junction of Adipampa Road in V V Mohalla, Mysore

---

I write to state that the above road in Vanivilas Mohalla is one of the main roads where the bus and other vehicular traffic is on the increase from day to day The road is getting worn out under the heavy traffic and has been found to be subject to repairs of pits and ruts formed frequently To avoid the frequent repairs and also the heavy expenditure involved on the above account, the Municipal Engineer placed an estimate for a sum of Rs 10,000 for seal coating the above road starting from Princess road to the junction of Adipampa Road, the rates provided for the several items detailed in the estimates being on the basis of schedule rates The estimate was duly sanctioned by the Works Committee and the Council at their meetings held on 20-3-1951 and 30-4-1951 respectively

In enclosing the copies of the resolution; I request that the orders of Government may kindly be obtained sanctioning the estimate (condemned) to enable further action being taken in the matter

Yours faithfully,

Municipal Commissioner

Forwarded with compliments

T Narasimha Iyengar

President

Proceedings of the Ordinary Meeting of the Municipal Council held on Monday the 30th April 1951 at 4 p m in the Municipal Offices

---

64 Def Sub No 1405/29-3-1951 regarding the Works Committee Resolution No 1410 dated 20-3-1951 recommending for sanction the detailed estimate for Rs 10,000/- for surface treatment with tarring (a seal coating) Temple Road starting from Princess Road up to the junction of Adi-pampa road in Vanivilas Mohalla

Sanctioned

Sd T Narasimha Iyengar,
President.

Copy

Municipal Commissioner

PROCEEDINGS OF THE WORKS COMMITTEE HELD ON TUESDAY THE 20TH MARCH 1951 AT 8-30 A M

Sub No 1410 Detailed estimate for surface treatment with tarring (Seal coating) Temple Road starting from Princess Road up to the junction of Adipampa Road in V V Mohalla for Rs.10000/-

1405

RECOMMENDED TO THE COUNCIL FOR SANCTION

Copy with Record to Council Section

Municipal Engineer

Sd T Narasimha Iyengar

President.

Appendix F G—1]

SUBJECT

Section

File No

Serial No

Diary No of letter replied to

No 2/1912/E Estimate

To 29/8/51

The Superintending Engineer
~~Chavakacheri~~ Kaithady
~~Chavakacheri~~ Kaithady

General and Revenue Secretariat

( )

the 19

2 Copies

Sir

I am directed to forward herewith for Secretary and Revenue Board's approval the estimate for Rs 10 000/ for surface treatment on the ~~Par~~ 1 mile Seal Coated ~~to the~~ Temple Road ~~Grogery~~ Starting from the junction of Adiyampa Road at Vannarponnai Kaithady etc

The estimate may be returned with your report very early

Yours faithfully
MS
24/5
for Secretary
29/5/51

Date of issue

Signed by

List of enclosures

Copied by

Examined by

(P.T.O.)

WD 010850—GPB— 25 000—17 7 50

Memo 1914

Copy w/c to the Municipal Council, Mysore & Municipalities for enforcement in future all estimates for Rs 10,000/ and less may be got sanctioned by the Superintending Engineer of the Circle or the Executive Engineer according to the Council's powers & Sanctions as prescribed in Rules and Orders 414/S dated 28 4 51, ~~from the Chief Engineer of Mysore Bldgs to the S & G Dept~~ before submission to Govt for sanction

Chief Engineers

B o

24/5

Mch SB Sec

22/5/51

of the Superintending Engineer
Cauvery Circle,
, Dated 15th June 1951.
16th

To.

The Secretary to Government of Mysore,
L.S.G. Department. Bangalore.

Re:- Estimate for tarring the temple road starting from the Princess Road upto the junction of Adipampa road in Vani-vilas Puram, Mysore.

Sir,

1117

With reference to your letter No.1913 dated 29-5-1951, forwarding the above estimate amounting to Rs.10,000/- for Scrutiny, I return the same duly scrutinized for Rs.9300/- only.

Yours Faithfully,

Superintending Engineer,
Cauvery Circle, Mysore.

15th.

G R S App F G 3

GENERAL AND REVENUE
SECRETARIAT

(*Continuation sheet draft form*)

/C M 10-51-10
D 27 5 51

Proceedings of the Govt of Mysore
Read –

Letter no C2 pR 20/51-52, D/10 5 51
from the M/l Comm Mysore ag- M/s-
forwarding for sanction an estimate
for Rs 10,000/- for surface treatment
with tarring (Hot Seal Coating) Temple
Road Starting from princess Road
up to the Junction of Adelpampa
Road in Vani Vilas Mohalla, as
approved minutes, by the M/l C
at his meetings held on 20 3 51
and 30 4 51

2 Letter no 4270 D/ 15/16 6 51
from the Superintending Engineer
Cauvery circle, Mysore forwarding
the estimate - after duly scrutinised
and Corrected for Rs 9300/- ags

Order L Dis 3105-7/Con 108/10
D 7 8 51
The estimate for Rs 9300/-
(in words) as scrutinised by the
Superintending Engineer Cauvery

WD 0681°—GPB—25 000—26 7 49

Circle as enclosed - for the above fonts

Mr 27/6

Ld Sq - Seq Expts

2 Doz Oct 01

Do 27/6

The 44 Comm Mysore Cy -
the 2 Mendon
with estimate -

The Superintending Engineer
Cauvery Circle Mysore

The Controller . State-Accts Dept Mysore

Grain Inv Copies

PROCEEDINGS OF THE GOVERNMENT OF ~~HIS HIGHNESS~~ THE ~~MAHARAJA~~ OF MYSORE

Read -

Letter No.C.M.R.20/51-52 dated 10th May 1951 from the Municipal Commissioner, Mysore City Municipality, forwarding for sanction an estimate for Rs.10,000/- for surface treatment with tarring (seal coating) Temple Road starting from Princess Road up to the Junction of Adipampa Road at Vani Vilas Mohalla, Mysore City as approved by the Municipal Council at its meeting held on 20th March 1951 and 30th April 1951.

2. Letter No.4270 dated 15th/16th June 1951 from the Superintending Engineer, Survey Circle, Mysore, returning the estimate duly scrutinised and corrected for Rs.9,300/- only.

Order No.L. 3108-7/CM 10-51-10

Dated, Bangalore, the 5 7-51

Estimate for Rs.9,300/-(Rupees nine thousand and three hundred only) as scrutinised by the Superintending Engineer, Survey Circle, Mysore, is sanctioned.

for Secretary to Government,
L.S.G.Department.

To

The Municipal Commissioner, Mysore City Municipality. (thro' the Superintending Engineer)
The Superintending Engineer, Survey Circle, Mysore.
The Controller, State Accounts Department, Bangalore.

two spare copies.

hsc-6(30-6)